PERMIT APPLICATION

Thomas Malavasi, PE, PP, CME, CPWM County Engineer

Call Before You Dig 1-800-272-1000 OR 811 HUDSON COUNTY OFFICE OF THE COUNTY ENGINEER 830 BERGEN AVENUE, FLOOR 6-B JERSEY CITY, NEW JERSEY 07306-4507 TEL: 201-369-4340/FAX: 201-369-4346

INFRARED REQUIRED

Permit for: () Road Opening () Curb() Sidewalk () Bridge () Traffic Plan () Dumpster () Other:

(<u>PRINT & SIGN)</u>				
Name of Municipality:			Date:	
Location of Work:				
Property Owner:			Phone number:	
Address:			Cross Street:	
Contractor:			Phone number:	
Address:				
Type of work:				
Will a crane be used?				
Total Area of Road Opening	SF Width	FT Lenoth	FT Denth	FT
Total Linear FT of Std Curb	Depressed Curb	I I Deligui.	FT Total Number of Openin	<u> </u>
Class of Pavement - Concrete	Bituminous Conc	rete:	Other	
Remarks:				

Hudson County roadway lane closure hours are from 9:00 a.m. to 5:00 p.m. Monday through Friday, excluding Holidays (including Election Day), unless approved by the County Engineer.

Date work will be started on:

Finished by:

Call 1-800-272-1000 72 hours before any excavation for utility mark outs.

Attach 3 copies of a sketch or plans showing location and dimensions of proposed work. Traffic Control Plan, Insurance Certificate, Check/Money Order, Bond, Municipal permits, and/or Planning Board Approval. Copies of all local building or any other applicable permits must be attached. Lane closures will require a traffic control plan. All permits will require approval pursuant to Executive Order TAD-67.

All work must conform to construction standards of jurisdiction and the requirements of attached conditions and Hudson County Ordinance # 116-2-1999 as amended. The Permittee agrees to comply with the current laws of the Federal Government and the State of New Jersey. The acceptance of this permit shall be deemed an agreement to abide by all terms conditions and requirements as set forth by the County of Hudson. Notice must be given 24 hours before work starts to the County Engineer for inspections.

This application must be made and approved before any work is started, except in cases of emergency. **Telephone notice of an emergency must be** made immediately and followed by a written permit within 24 hours of notice and/or the next business day. Failure to comply with the emergency procedures may be subject to fines in accordance with Ordinance 405-6-2017. The original permit must be available at the site at all times when work is in progress.

Fax Number:

Applicant Signature:

"I hereby certify that I have received and read a copy of Ordinance #116-2-1999 and the amendment and agree to the terms and conditions of the ordinance and as indicated in this application."

 Print Name:
 Cell-phone Number:

 E-Mail:
 DO NOT WRITE BELOW THIS LINE

 App Fee \$50.00
 Permit fee \$ Guarantee Bond () _____ Insurance Y() N () ______

 Application Approved By:
 Title :
 Date:

 Conditional Requirements: All work as per OSHA-NJDOT-MUTCD-NJDEP
 Infared repave to all road openings. Full slab restoration to all sidewalk openings. All curbing, drop curbing and sidewalk restoration as per County & NJDOT specs

 Permit Expiration Date:
 Permit Number:

 Extended to Date
 Initials

Revised reditially 2020	Revised	February	2020
-------------------------	---------	----------	------

County of Hudson Department of Roads & Public Property Office of the County Engineer 830 Bergen Avenue, Floor 6B Jersey City, New Jersey 07306-4507 T-201-369-4340/F-201-369-4346

Thomas DeGise County Executive

Denise D'Alessandro Director, Roads & Public Property

RE: Additional Conditions for Road Opening Permits

Any applicant applying for a Road Opening Permit shall comply with the following additional conditions which are made a part of this permit.

- 1. Any use of County roads, structures or facilities which impede vehicular and/or pedestrian traffic shall necessitate the employment of a Police Traffic Director for directing and management of traffic. Please contact the appropriate municipal police.
- 2. The applicant is required to notify the County Engineer's Office at least 48 hours prior to the starting of work at 201-369-4340.
- 3. The Road Opening Permit shall not be effective until applicant provides proof to the County that "One Call" Damage Prevention System 1-800-272-1000 has been notified.
- 4. Emergency Contact Person with (24 hour) telephone numbers must be provided.
- 5. All construction shall be in accordance with "NJDOT Standard Specifications for Road & Bridge Construction" 2019 amended.
- 6. Provide necessary lights, barricades, plates and a clear walkway at all times during the course of work to protect the traveling public. All work area signs and barricades shall be as per MUTCD requirements.
- 7. All backfill is to be done with quarry process stone Type 1-5 or DGA for the full depth of the trench.
- 8. The pavement is to be restored with ten inches (10") of HMA 25M64 and two inches (2") of 12.5M64 properly compacted. Final restoration must be completed within thirty (30) days of the opening. (Seasons permitting) infrared repave shall be required to all road openings, regardless to age and/or condition to the existing roadway.
- 9. Any opening of ten feet (10') or longer shall be milled to a depth of two inch (2") overlapping edges of the opening by twelve inches (12")
- 10. Edges of the trench shall be cut in a straight line with a saw. The base is to be squared and cut on a vertical plane to a width and length of not less than twelve inches (12") greater than the original cut. The surface restoration shall extend twelve inches (12") wider and longer then the area of the base.
- 11. Any disturbed pavement markings must be restored immediately. Pavement markings must be restored to original or better condition. The restoration to construction must use the same or equivalent materials (3M-WR Thermoplastic Intermix) as originally installed. The restoration may be temporary (using paint) until the permanent markings are applied within thirty (30) days. Hudson County shall be held harmless in any and all accidents arising out of this work.
- 12. Excavation of Belgium blocks (Cobble Stones) or any other salvageable material from County Streets/Roads (with exception to historical roads) must be stock piled and later brought by the contractor or his designee to a designated site under the direction of the County Engineer.
- 13. For roads paved within the last five years, enhanced restoration methods will be utilized in accordance with Ordnance 529-9-2016. In Union City, their requirements for roads paved within the last 10 years shall be met.
- 14. If underground utility lines are to be decommissioned, the County will not take ownership of the abandoned lines. For pipelines, they shall either be removed or filled with inert, compacted material and sealed at both ends. If utility lines are to be left in place they shall continue to be marked out as part of the One Call System.
- 15. If overhead utility lines are to be decommissioned, the County will not take ownership of the abandoned lines. Decommissioned overhead wiring shall be removed and left in a neat, safe condition.

Thomas Malavasi, PE, PP, CME, CPWM County Engineer Revised: February 2020 Thomas Malavasi, PE, PP, CME, CPWM County Engineer

FEE SCHEDULE

Road Opening Permits:

Application Fee Normal Non Reported Opening

Permit Fee (Opening Size) Up to 20 S.F. Between 20 and 80 S.F. Additional over 80 S.F. **Multiple Openings** (Min)

Road Opening Bond

Up to 20 S.F. Over 20 S.F.

Multiple Openings (Min) Newly Paved Roads (5 years or less)

Curb & Driveway Permits

Application Fee Permit Fee For Depressed Curb (Driveway Opening) or Full Height Curb Guarantee Bond Single Driveway

All Others

Bridge Permits

Application Fee Permit Fee All work within 10' of Bridge Outside of these limits

Guarantee Bond

All work within 10' of Bridge Outside of these limits

Dumpster Permits Permit Fee

Revised June 2019

\$50.00 \$200.00

\$100.00 (Min) \$250.00 \$1.00/S.F. \$100.00 Each

\$5000.00 (Min) \$5000.00 plus \$20.00 per S.F. over 20 S.F. \$5000.00 Each \$50,000.00 or as determined by the County Engineer

\$50.00 \$100.00 (Min) \$1.00/L.F. (\$100.00 Min)

\$5000.00 (min)

\$10,000.00 (min)

\$100.00 \$500.00 Same as Road Opening Fee above

\$25,000.00 (min) or as determined by the County Engineer

\$25.00 per month

ACORD CERTIFICATE OF LIABILIT		
In a factor	ONLY AND CONFERS NO RIGHTS UPON T HOLDER. THIS CERTIFICATE DOES NOT AM ALTER THE COVERAGE AFFORDED BY THE I	DE INFORMATION HE CERTIFICATE IND, EXTEND OR POLICIES BELOW.
23/020		NAIC #
nauch.	INBURER B	
YOUR COMPANY NAME	INSURARC	-
TOOR COMMILTER IN 2002	INSURERD	
COVERAGES	INBURERE	
THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSU ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER D MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HER POLICIES AGGREGATE LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLA IST MADDING	IRED NAMED ABOVE FOR THE POLICY PERIOD INDICATED DOUMENT WITH RESPECT TO WHICH THIS CERTIFICATI REIN IS SUBJECT TO ALL THE TERMS, EXCLUBIONS AND O UMS. OUCY REFECTIVE [POLICY IDEPIRATION]	MAY BE ISSUED OR CONDITIONS OF SUCH
IR INSEC TYPE OF DISKRAUCE POLICY NUMBER I	DATE INVINUEDOCO DATE INVINUEDOCO	AITS S
	MED EN/ IMAGE TO RESUME PREMISE IE account of the MED EN/ IMAGE ADD INJURY PEDNAL & ADD INJURY VENERAL ADDREDATE COMPLOTE COMPLOT ADDREDATE	5 5 5 5 5 5 5
	CONBINED ENGLE LIMIT	15
	(basharaai) BODI'A (H7/NA (FR) FCHARM)	1
IBRED AUTOS HON GWNED AUTOS	BODRY INJURY (Per accident)	\$ -
	PROPERTY DAMAGE (Por academ)	5
OARAGELIABILITY	AUTO DNLY -EA AGOIDE	<u>ur 1</u>
OTUA VIA	OTHER THAN BAN	
EXCESSIVMBRELLA LIABILITY	EACH OCCURRENCE	1
	AUGREGATE	\$
DEDUCIBLE	-	5
RETENTION S		s
WORKERS COMPENSATION AND EMPLOYERS' LIABILITY	1 WCSTATU TORYLIMITE	
OFFICERMEMBER EXCLUDED?	EL EACHACCIDENT	S DYEE S
Il yos, describa undar SPE CIAL PROVISION & bolow	DISPASE - POLICY I	BALT X
OTHER OCI	IDIC	
DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES / EXCLUSIONS ADDED BY ENDORSEMI	ENT ISPECIAL PL MABIONB	
		D
"COUNTY OF HUDSON" MUST BE	NAMED AS ADDITIONIAL INSURED	D.).
CERTIFICATE HOLDER	CANCELLATION	
	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCE	LLED BEFORE THE EXPIRAT
COUNTY OF HUDSON	HOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT.	MAIL DAYS WRIT
830 BERGEN AVE. 6-B	INPOSE NO DELIGATION OR LIABILITY OF ANY KIND UPON	THE INBURER, ITS AGENTE
JERSEY CITY, NEW JERSEY 07306-4507	REPRESENTATIVES.	

, ×

OAD) IN CAGE A WREEGTBERS COUNTY OF HIDEON O R D I W A N C E

N. 1.2-2-1459

On Mutice of Crecholder Cifelli. Seconded by Freebolder Carroll

AN ORDINANCE REPLACING ORDINANCE NO. 166-4-1984 RECARDING THE RULES AND REGULATIONS GOVERNING ROAD OPENING PERMITS

WHEREAS, pursuant to the provisions of N.J.S.A. 40:41A-38, 40:41A-101 and 27:16-31, the County of Hudson established rules and regulations governing road opening permits which were adopted by the Board of Chosen Freeholders by Ordinance No. 166-4-1998; and

WHEREAS, the Hudson County Engineer has prepared and recommended to this Board an Ordinance replacing Ordinance 166-4-1984.

NOW, THEREFORE, BE IT ORDAINED, by the Board of Chosen Freeholders, that:

 The following are the Rules and Regulations, including fees which shall govern road opening permits within the County of Hudson:

I. GENERAL REQUIREMENTS & RESPONSIBILITIES

No person, firm, corporation, public utility, authority or municipality shall hereinafter tear up, open, remove, construct, reconstruct or excavate any portion of any road, curb, sidewalk or bridge or any utility, facility or any portion thereof, in the County of Hudson, owned, maintained or controlled by the County of Hudson as part of the County road system, for any purpose whatsoever without first making application for and receiving a permit thereof, signed in the name of the County of Hudson by the County Engineer or one of bis authorized agents.

II. ROAD OPENING PERMITS

The written application shall state the name and address of the applicant, the name and address of the contractor performing the work, emergency phone numbers, name of the County road to be opened, the nature, location and purpose of the work, anticipated time of completion, a statement that the permittee will comply with the ordinances & regulations and laws related to the proposed work and any other data as may be reasonably required by the County Engineer. The application shall be accompanied by a reasonably accurate sketch plan in triplicate, showing the location and dimensions of the proposed work. A separate permit shall be required for each and every opening unless otherwise agreed upon. The applicant shall sign the permit application and shall be bound for all obligations of the permit and shall be referred to hereafter as permittees. A permit shall not be' transferred except upon prior written consent of the County Engineer.

The County will, charge the permittee according to the Fee Schedule as attached. The permittee, to whom a permit has been issued, shall not disturb or remove pavement or perform any work other than that for which this permit provides for.

III. GENERAL FINANCIAL OBLIGATIONS

All permittees including Public Utilities, Municipalities, their contractors or contractors of State or Federal agencies, shall deposit a guarantee with the Treasurer of the County of Hudson in the form of a Bond, Certified Check or Bank Draft acceptable to the County. The deposits required herein shall be held in a separate account by the County and will carry no interest to the permittee! One year after final restoration of the work pending the approval of the County Engineer, the guarantee shall be returned to the permittee. However, should the County Engineer, upon final inspection, determine that the construction upder this permit was unsatisfactory and/or otherwise in violation of the approved plans or conditions attached to the permit and should the permittee, upon receipt of written notice of deficiencies fail to remedy the same in 10 days, then the County Engineer shall initiate the

NUAND OF CHOSEN NALELOLDERS COUNTY OF RUDSON

ORDINANCE

Êllar -

On Motion of Freeholder _ Seconded by Freeholder

process to deduct from the permittee's guarantee, all openses incurred by the County in performing the necessary repairs to remediate the same.

The County Engineer shall have the right to perform borings in the pavement, cut cores in the pavement or to perform other investigations as deemed necessary to confirm that the provisions of the road opening permit have been satisfied. The cost of such investigations shall be billed to the permittee.

The County Engineer may require an extended maintenance period in excess of one year and an additional maintenance guarantee depending upon the nature of the work involved. This additional obligation will be released upon completion of the work and acceptance of the work by the County Engineer.

When a maintenance bond is posted, it shall be executed by the permittee as principle and surety company licensed to do business in the State of New Jersey as surety.

The release of the guarantee shall be also conditioned upon the permittee restoring the surface and any damage to the streets abutting the work site and those streets which had sustained damage through the use of construction equipment and vehicles.

For utility main construction, other or additional conditions may be prescribed by the County. Plans for such projects must have the approval of the County Engineer before a permit may be issued.

IV. REQUIRED NOTIFICATION

The County Engineer shall notify, once a year, public utility providers and municipalities of planned work on County roads. Any work to be done on these roads will have to be done before paving is started. Such notice shall state that no Road Opening Permit shall be issued for openings, cuts or excavations in said County road for a period of five (5) years after the date of paving. The notice shall also notify such permittee that applications for Road Opening Permits, for work to be done prior to such paving shall be submitted promptly in order that the work covered by the permit may be completed before paving.

During said five year period, no permit shall be issued to open, cut or excavate in said County road unless, in the judgement of the County Engineer, an emergency exists which makes it absolutely essential that the Road Opening Permit be issued.

The County Engineer is authorized to demand a cash escrow or equivalent in an amount not exceeding \$10,000. to assure that any road opening on roadways paved within the past five (5) years, is restored satisfactorily. The restoration shall include milling and repaying of the area so as to blend uniformly with the adjacent roadway as per the conditions stated in the permit, including restoration of

COUNTY OF HUDSON

ORDINANCE

1000

Di Motion of Freeholder _____ Seconded by Freeholder _____

pavement markings, signage and all other appurtenances.

V. BRIDGE CROSSING PROVISIONS

Wherever it is necessary to cross over, through or under a existing bridges, viaducts or culverts under the jurisdiction of the County, plans must be filed with the County Engineer which will outline in detail the proposed method of crossing such structures. No work of any kind whatsoever shall be performed until the said supplemental plans have been approved by the County Engineer.

The permittee shall apply and secure all applicable permits from federal, state and local agencies and copies shall be forwarded to the County Engineer together with the application.

IV. WORK SITE SAFETY PROVISIONS AND GUARANTEES

The construction on the County roads pursuant to this Ordinance shall conform to the most recent design standards, plans, details, specifications, method of construction and traffic control.

All permits issued under the section shall be subject to the following rules and regulations. All work shall be conducted within a work zone and conforming to the latest edition of "Manual of Uniform Traffic Control Devices" as published by USDOT FHWA.

A. Safety i

- 1. All work shall be conducted in such a manner as to cause the least public inconvenience and to permit the use of the sidewalk by the pedestrians, the roadway, by vehicles and the flow of water in the gutters. All openings, digging, excavation, piles of material, equipment, machinery, i barricades or obstructions, including earth and stone, removed from excavation, shall be removed immediately or properly guarded at all times to prevent accidents. All traffic control devices and their use shall be conforming to the latest edition of the "Manual on Uniform Traffic Control Devices" and must be properly maintained during the construction.
- The work area shall be made passable to all emergency vehicles during all phases of the work.
- 3. In the event that the work requires the detour of the vehicular traffic, the permittee shall submit a detour plan for review and approval by the County Engineer, who at the sole discretion, may require the approval of the municipalities involved prior to any road closings. The detour signage must be properly installed and maintained. Any damage to the detour route must

- 3 -

LOART OF CHOSEN FREEHOLDERS

ORDINANCE

On Motion of Freeholder _ Seconded by Freeholder _

he corrected by the permittee.

- If any sidewalk is blocked by any work, a temporary sidewalk shall be constructed or provided, which shall be safe for travel and convenient for users.
- B. All existing pavements, road surfaces, pavement markings, signs, sidewalks, curbs, gutters, pipes, manholes, drains, conduits or other installation or fixtures and property damaged or destroyed by permittee's activity, shall be corrected by the permittee.
- C. No person shall divert or discharge water into, upon or across any County road or sidewalk so that a nuisance is created, or a hazardous condition is caused to exist, or cause the adjacent pavement to be damaged.
- D. It shall be unlawful to make any such excavation, or tunnel, in any way contrary to or at variance with the terms of the permit thereof. Proper bracing shall be maintained to prevent the collapse of adjoining ground and protection of the workers shall be in accordance with the regulations of the New Jersey Department of Labor and Industry and the Occupational Safety and Health Administration. The permittee shall assign supervising personnel to be responsible for the work safety on the project, performed under the "Road Opening Permit".
- E. No injury shall be done to any pipes, cables, conduits or other facilities during the work performed under the Road Opening Permit. Notice shall be given beforehand to the utility company maintaining any such pipes, cables or conduits as prescribed by law.

The permittee shall not proceed with any road opening until he submits to the County Engineer the proof of notification to all utilities.

All work by the permittee shall be done in accordance with the provisions of N.J.S.A. 34:6-47.1 et seq, N.J.A.C. 12:186 and in accordance with the provisions of the Federal Occupational Safety and Health Act of 1970 and of subpart N, paragraph 1926.550 of the rules and regulations issued under said acts.

It is the sole responsibility and duty of permittee to make such an investigation and effort to locate all utilities. Issuance of the permit by the County does not approve or disapprove the locations of the same. The County shall not be held responsible for any damage to any utilities, underground or overhead.

- 4 -

No.

BOARD OF CHOSEN FREEHOLDERS COUNTY OF HUDSON

ORDINANCE

On Motion of Freeholder _ Seconded by Freeholder

F. The permittee shall clean up and remove promptly and continuously from the work site, all excavated material and debris and upon final completion of the project shall leave the site of work in a neat and orderly condition as good as it was previously.

Where topsoil, seeded areas, sod or landscaping, is disturbed in the course of the work, the permittee shall restore such ground surfaces to a condition equal to that prior to commencement of work.

5. If permittee shall fail to comply with the rules and regulations as provided in this ordinance after receipt of written notice, then the County reserves the right to take any action to insure compliance with this ordinance. In that event, the permittee shall be charged with the cost of same at a rate determined by the County Engineer based on current contract rates, if such are in effect, or a schedule of costs accepted by the County Engineer, based on the rates as published by NJDOT or the actual cost of repairs paid to contractor selected by the County plus 15% overhead. Any monies due to the County in excess of the permit fee shall be billed upon completion of the work and shall be paid by the permittee within thirty (30) days after the receipt of the bill. Failure to pay such dues shall result in the permittee paying the maximum interest rate allowed bylaw, as well as any attorney's fees and costs incurred by the County in furtherance of the collection of said monies.

The County Engineer shall also have the authority to deny all future permits until differences identified as above are corrected to the satisfaction of the County Engineer.

The County shall not be liable for damages for any personal injuries or damage to property sustained as the result of any excavation or opening in any street, bridge or curb work made by any person by virtue of the provisions of this chapter.

Neither the County nor any of its' employees shall be deemed to be the agent or the servant of the permittee for any of the purposes of this section.

V. INSURANCE REQUIREMENTS

- A. The permittee shall provide insurance as follows: The work shall not commence until all insurance as required under the following subparagraphs is submitted and until such insurances have been approved by the County, nor shall the permittee allow any of his subcontractors to commence work on his subcontract until all similar insurances required have been obtained and approved.
- B. The permittee shall take out and maintain during the work under the permit, Workmen's Compensation

- 5 -

Mar.

COUNTY OF HUDSON

ORDINANCE

phu.

٤.

D.

On Motion of Freeholder _ Seconded by Freeholder

Incurance for all his employees at the site of the project and in case any work is sublet, the permittee shall require the subcontractor similarly to provide Workmen's Compensation Insurance for all the latter's employees unless such employees are covered by the protection afforded by the permittee. In case any class of employees engaged in hazardous work under this permit at the site of the project is not protected under the Workmen's Compensation statutes, the permittee shall provide and shall cause each subcontractor to provided by the Workmen's Compensation statute for the protection of his employees not otherwise protected.

- C. The permittee shall obtain and keep in force during the work under the permit, public liability and property damage insurance in companies and in form to be approved by the County. Said insurance shall provide coverage to the permittee, any subcontractor performing work provided by this permittee, and the County. The County, its officers, agents, servants and employees as their interest may appear, shall be named as additional insured on said policy insofar as the work and obligations performed under the permit concerned. The coverage so provided shall protect against claims for personal injuries, including accidental death, as well as claims for property damages which may arise from any act or omission of the County, the permittee or the subcontractor or by anyone directly employed by either of them. The minimum policy limits of such insurance shall be as follows:
 - Bodily injury liability coverage with limits of not less than One Million Dollars (\$1,000,000.) for bodily injury, including accidental death, to any one person, and subject to that limit for each person, in an amount not less than One Million Dollars (\$1,000,000.) for each accident; and property damage coverage in an amount of not less than Five Hundred Thousand Dollars (\$500,000.) for each accident.
 - A copy of the insurance policy, together with a copy of the endorsements naming the County, its officers, agents, servants and employees as their interest may appear, as an additional insured, shall be provided to the County before issuance of the permit.
 - E. The permittee agrees to save the County, its officers, agents, servants and employees from all lost or damage occasioned to it or to any third person or property by reason of any careleseness or negligence on the part of the permittee, subcontractor, agents and employees in the performance of the work under the permit, and will, after reasonable notice thereof, defend and pay the expense of defending any suit which may be commenced against the County, its officers, agents, servants

- 6 -

BOARD OF CHOSEN FREEHOLDERS COUNTY OF HUDSON

ORDINANCE

On Motion of Freeholder Seconded by Freeholder

and employees as their interest may appear, by the third person alleging injury by reason of such carelessness or negligence, and will pay any judgement which may be obtained against the County, its officers, agents, servants and employees as their interest may appear in such suit. The permittee shall furnish the insurance required.

- jD. Automobile and truck insurance, covering vehicles owned and/or operated by the permittee and vehicles operated for the permittee, including those employees when so operated, shall be provided as follows:
 - One person in any one accident amount of One Million Dollars (\$1,000,000.)
 - Two or more persons in any one accident amount of Three Million Dollars (\$3,000,000.)
 - Property damage in any one accident amount of Five Hundred Thousand Dollars (\$500,000.) with aggregate property damage policy limit of One Million Dollars (\$1,000,000.)

E. Worker's Compensation

VI. WORK SITE RESTORATION

Immediately after the work is performed for which the permit had been issued, road repair and backfilling shall be done in accordance with details prepared by the County Engineer which accompanied the permit. Excavated material shall not be used as backfill unless approved by the County Engineer. Temporary pavement or patch work shall be removed approximately one month after installation and the opening shall be restored to the grade, slope and profile that prevailed at the time of the opening or as directed by the County Engineer. Pavement markings shall be restored on any roadway or it's portion before it's opening to traffic.

VII. NOTIFICATION AND PROGRESS OF THE WORK

The permittee shall notify the County Engineer in writing at least forty-eight (48) hours in advance of any activity and likewise, at the completion of the activity or project.

Failure to provide such notification may result in cancellation of the permit. The permittee shall keep a copy of the permit at the site at all times. The permittee shall retain full responsibility for any damages which may result from any construction activity notwithstanding any approvals from the County Engineer.

All work required to be done shall be completed within the time specified in the permit. Trenches shall not be kept open when work is not in progress. If work is stopped for more than 24 hours, the trench shall be temporarily backfilled and capped with a temporary pavement. The

No.

ROARD OF CHOSIN FPETHOLDERS

ORDINANCE

Nc.

On Motion of Freeholder _ Seconded by Freeholder

validity of a permit may be extended, if so requested, in writing by permittee prior to the expiration period thereof for such additional periods as determined by the County Engineer.

VIII! EMERGENCY SITUATIONS

In the event of any emergency in which a sewer, main, conduit or utility in or under any road breaks, bursts or otherwise it in such condition as to immediately endanger the property, life, health or safety of any individual, the person, company or utility owning or controlling such sewer, main, conduit or utility, without first applying for and obtaining an excavation permit hereunder, shall immediately take proper emergency measures too secure or remedy the dangerous conditions for the protection of property, life, health and safety of individuals. However, such person owning or controlling such a facility shall apply for a permit not later than the end of the next business day and shall not proceed with permanent repairs without first obtaining a permit hereunder.

IX. FAILURE TO PROGRESS THE WORK

Where the permittee is not making progress satisfactory to the County Engineer or violates any provision of the permit, the County Government hereby authorizes the County Engineer or his authorized agent to revoke the permit and to remedy the work of the permittee. Written notice shall be given by the County Engineer of intent to take such action. The permittee shall complete proposed construction within the time specified in the permit. If not done within this time and if no extension has been obtained, such failure to complete shall be deemed a violation.

X. MAINTENANCE OF TRAFFIC FLOW

The permittee shall maintain vehicular and pedestrian traffic in the work area as per conditions stated in the permit.

The permittee shall backfill all excavated areas within the noadway to a grade compatible with the existing traveled way at such time he is not actively working. This shall include nights, weekends and periods of shut down. Trenches shall not remain open overnight under any circumstances. The work area must be maintained at all times in a safe and neat condition.

Roadways, shoulders and sidewalks in areas which the permittee has actually commenced construction operations and which are reserved for vehicular and pedestrian traffic shall be maintained by the permittee, at his expense, free from obstructions and in a smooth riding or walking condition at all times, including seasonal shutdowns.

If the excavation extends the full width of the County road, only one-half of the road shall be excavated at one time and shall be backfilled and a temporary pavement placed before the other half is excavated, unless otherwise

- 8 -

BOARD OF CHOSEN FREEHOLDERS COUNTY OF HUDSON

ORDINANCE

No.

On Motion of Freeholder _ Seconded by Freeholder _

permitted by the permit. Where considered necessary, work under a permit shall be carried on only within such hours as allotted by the County Engineer. If work cannot be completed within the time specified, open trenches shall be backfilled or covered with steel plates of sufficient strength to carry all traffic safely. Plates must be recessed and pinned and c'n only be left out with the approval of the County Engineer. If, in his judgement, traffic conditions, the safety or convenience of the traveling public or the public interest requires that the excavation work be performed as emergency work, the County Engineer shall have full power to order, at the time the permit is granted, that a crew of workers and adequate facilities be employed by the permittee twenty-four (24) hours a day to the end that such excavation work may be completed as soon as possible. The County Engineer shall also have full power to limit the hours of work as the public interest may require.

XI. MISCELLANEOUS REQUIREMENTS

Each permittee shall conduct and carry out the work in such a manner as to avoid unnecessary inconvenience and annoyance to the general public and occupants of neighboring property. The permittee shall take appropriate measures to reduce to the fullest extent practicable in the performance of the excavation work, noise, dust and unsightly debris.

Deers of subsurface street space shall maintain accurate drawings and plans, showing the location and character of all underground structures including abandoned installations. Said drawings and plans are to be kept on file in the office of said users and shall at all times be available to the County Engineer.

XII. ORDINANCE NOT AFFLICABLE TO COUNTY WORK

The provisions of this ordinance shall not be applicable to any work under the direction of the County, by employees of the County or by any contractor of the County performing work for and on behalf of the County necessitating openings or excavations in County roads, curbs or bridges.

XIII.WORK BY MUNICIPALITIES AND GOVERNMENTAL AGENCIES

Any work done by municipalities, governmental agencies, their departments and divisions, must be performed under the provisions of this ordinance except that the County may waive the fee.

XIV. LIABILITY OF COUNTY

This ordinance shall not be construed as imposing upon the County or any official or employees, any liability or responsibility for damages to any person injured by the performance of any excavation work for which an excavation permit is issued hereunder, nor shall the County or employee thereof be deemed to have assumed any such liability or responsibility by reason of inspections authorized hereunder, the issuance of any permit or the approval of any excavation work.

9 -

1.52

THE SEALS

BOARD OF CHOSEN FREEHOLDERS COUNTY OF HUDSON

ORDINANCE

On Motion of Freeholder _____ Seconded by Freeholder _____

No.

IV. PENALTIES

Any person, firm or corporation violating any of the provisions of this ordinance shall be deemed guilty as a disorderly person and upon conviction thereof in a court of competent jurisdiction, shall be fined or be imprisoned as prescribed by the law. Each day such violation is committed or permitted to continue shall constitute a separate offense and shall be punishable as such hereunder.

FEE SCHEDULE

ROAD OPENING PERMITS

1		
	Application Fee Normal Non-reported Opening	\$10.00 -
	Permit Fee (Opening Size) Up to 20 S.F. Between 20 and 80 S.F. Additional over 80 S.F. Multiple Openings (Minimum)	\$20.00 \$100.00 \$0.50/S.F. \$20.00 EACH
	Guarantee Bond or Check	
	Up to 20 S.F. Over 20 S.F. Multiple Openings (Minimum)	\$500. \$500. plus \$20. per
	Newly Paved Roads (5 Yrs or less)	\$0.00 - \$10,000. as determined by County Engineer _
CURB	PERMITS Application Fee	\$10.00
	Permit Fee Depressed Curb (Driveway Opening) Full Height Curb	\$1.00/L.F. (\$20. minimum) \$0.50/L.F. (\$20. minimum)
	Guarantee Bond or Check Single Driveway All Others	\$10.00/L.F. \$10.00/L.F.
BRID	Application Fee	\$30.00
	Permit Fae All Work within 10' of Bridge Outside these limits	\$250.00 Same as Road Opening Fee above
	Guarantee Hond or Check All Work within 10' of Bridge Outside of these limits	\$5,000.00 Same as Road Opening Fee above
	14 C	a de monteres

BOARD OF LEOSEN FREEHOLDERS COUNTY OF HUDSON

ORDINANCE

. .

No.

On Motion of Freeholder_ Seconded by Freeholder_

This Ordinance shall take effect in the manner prescribed by law.

Freeholder	Aye	Nay	Abst.	N.P.	Freeholder	Aye	Nay	Abst.	NLP.
Ascolese	X				Colon	×			
Braker	X				Cruz	×			
Carroll	×				Fitzglbbons	×			1
Cifelli	×				O'Dea	x			
Chairman Vega	×								

APPROVED AS TO LEGAL FORM BY: FRANCIS De LEONARDIS HUDSON COUNTY COUNSEL

County Executive

It is hereby certified that at a regular meeting of the Board of Freeholders of the County of Hudson held on the 25 day of \mathcal{F}_{classy} A.D. 1999, the foregoing ordinance was finally adopted with Q members voting in the affirmative and O in the negative.

11

h

ince Clerk The foregoing ordinance having been duly presented to me / hereby the same

Dated: A.D., 1999

14

JOIRU IS

BOARD OF CHOSEN FREEHOLDERS COUNTY OF HUDSON ORDINANCE

No. 529-9-2016

On Motion of Freeholder O'Dea Seconded by Freeholder Roman U

AN ORDINANCE AMENDING ORDINANCE NUMBER 116-2-1999

REGARDING THE RULES AND REGULATIONS

GOVERNING ROAD OPENING PERMITS

WHEREAS, Ordinance Number 116-2-1999 established the rules and regulations governing road opening permits; and

WHEREAS, upon further review and inspection by the County Engineer it has been discovered that the Ordinance should be amended to require contractors working on County roadways to restore the roadways from "curb to curb;" and

WHEREAS, it is in the best interest of the County to ensure that roadways are re-paved and restored "curb to curb" for the safety and welfare of motorists on County roadways.

NOW, THEREFORE, BE IT ORDAINED by the Board of Chosen Freeholders of the County of Hudson that:

- 1. The above recitals are incorporated herein as though fully set forth at length.
- 2. Ordinance Number 116-2-1999 is, by this Act, amended to reflect the following:

Sections I through V - No change.

Section VI. Work Site Restoration: (delete the existing language and add the following language):

The following will be required for work performed within a County Road that has been paved within the last five years.

A. If it is necessary to open a street that has been paved within the last five years from the date of the permit application then it is required that the permittee shall complete final pavement restoration from curb to curb (or, the full width of the road) to a distance of approximately 100 feet around the area of the openings.

B. The distances in either direction of the opening will be determined by the County Engineer based on the proximity to other roadways or utility concerns. In most cases, final pavement restoration will encompass 50 feet in both directions of the opening for a full width of the existing road. The County Engineer may allow resurfacing to the center line of the road only if the opening is completed within one lane and does not involve disturbance across the center line.

C. Temporary and final pavement restoration shall be completed in accordance with County standards, and milling will entail the full length and width of the area that must be repaved.

D. The restoration of the pavement shall be done no fewer than 60 days after the opening and no more than 120 days after the opening. This will allow for any settlement in the trench to take place before the final pavement is placed. Exceptions to this time frame may be allowed by the County Engineer dependent upon the time of year, which can affect the availability of paving materials.

-Page 2-

E. For roadways that have not been paved in the last five years, immediately after the work is performed for which the permit had been issued road repair and backfilling shall be done in accordance with details prepared by the County Engineer, which accompanied the permit. Excavated material shall not be used as backfill unless approved by the County Engineer. Temporary pavement or patch work shall be removed approximately one month after installation and the opening shall be restored to the grade, slope, and profile that prevailed at the time of the opening or as directed by the County Engineer. Pavement markings shall be restored on any roadway or its portion before its reopening to traffic.

F. All pavement markings shall be restored on any roadway or its portion before its re-opening to traffic.

Sections VII to XV - No change.

Fee Schedule: (existing section is deleted and replaced with the following language):

ROAD OPENING PERMITS

Application Fee:

	Normal:	\$50.00
	Non-reported Opening:	\$200.00
Perm	it Fee:	
(Base	d on Opening Size)	
	Up to 20 sq ft	\$100.00
	Between 20 & 80 sq ft	\$250.00
	Additional over 80 sq ft	\$1.00 per sq ft
	Multiple openings (min.)	\$ 100.00 ea.
Road	Opening Performance Bond:	
	Up to 20 sq ft	\$5,000.00 (min.)
	Over 20 sq ft	\$5,000.00 plus \$20.00 per sq ft over 20 sq
	Multiple Openings (min.)	\$5,000.00 each
	Newly Paved Roads (5 years or fewer)	\$50,000.00, or as determined by the
		County Engineer

ft

-Page 3-

Curb & Driveway Permits:

	Application Fee:	\$50.00
	Permit Fee –	
	Depressed Curb (Driveway Opening)	
	or Full Height Curb:	\$1.00/L.F. (\$100.00 min)
	Guarantee Bond:	\$5,000.00 (single driveway)
		\$10,000.00 (all others)
Bridg	e Permits:	
	Application Fee:	\$100.00
	Permit Fee:	\$500.00
	Fee for all work within 10 ft of	
	Bridge outside these limits:	See road opening permit fee above.
	Guarantee Bond:	
	(For all work within 10 ft of	
	bridge outside these limits):	\$25,000.00, or as determined by the
		County Engineer

Freeholder	Ауе	Nay	Abst	N.P	Freeholder	Aye	Nay	Abst	N.P.
Balmir	1				Rodriguez	1		1	
Cifelli	1				Romano	/			
Kopacz	1		- 1		Vainieri	/			
Maldonado	1				Chairperson Rivas	/			
O'Dea	1								

3. This Ordinance shall take effect in the manner prescribed by law.

It is hereby certified that at a regular meeting of the Board of Freeholders of the County of Hudson held on the g day of Sept. A.D. 2016, the foregoing Ordinance was finally adopted with <u>9</u> members voting in the affirmative and <u>0</u> in the negative.

Clerk

The foregoing Ordinance having been duly presented to me /I hereby

the same

Dated:

A.D. 2016

County Executive

BOARD OF CHOSEN FREEHOLDERS

COUNTY OF HUDSON ORDINANCE

No .: 405-6-2017

- 1

On Motion of Freeholder O'Deer. Seconded by Freeholder Vancer

AN ORDINANCE AMENDING ORDINANCE NUMBER 116-2-1999 REGARDING THE RULES AND REGULATIONS GOVERNING ROAD OPENING PERMITS

WHEREAS, Ordinance Number 116-2-1999 established the rules and regulations governing road opening permits; and

WHEREAS, upon further review and inspection by the County of Hudson, it has been discovered that a need exists to define emergency situations, and to impose penalties for any work performed under the characterization of an emergency that is not, in fact, an emergency; and

WHEREAS, it is in the best interest of the County to ensure that this definition is established and these rules followed.

NOW, THEREFORE, BE IT ORDAINED by the Board of Chosen Freeholders of the County of Hudson that:

- 1. The above recitals are incorporated herein as though fully set forth at length.
- 2. Ordinance Number 116-2-1999 is, by this Act, amended to reflect the following:

Sections I through VII – No Change.

(add the following language)

Section VIII. Emergency Situations.

(existing section deleted)

Add the following language:

A. Emergency shall be defined as a situation affecting the public health, safety or welfare and that requires immediate attention, or is of such a nature that a delay in performing the services will result in substantial property damage or the delay in providing essential utility services to the general public.

B. Work performed pursuant to an emergency may be performed without obtaining a permit as more fully described herein. However, in the event of an emergency, before performing work the contractor or public utility must:

- Immediately contact the Hudson County engineer and advise the County of the nature of the emergency and the anticipated scope of work to remediate the emergency; and
- within twenty four (24) hours apply for a road opening permit as fully set forth in this section.

BOARD OF CHOSEN FREEHOLDERS COUNTY OF HUDSON

ORDINANCE

No.:

b

On Motion Of Freeholder Seconded by Freeholder

C. The County Engineer shall provide notice to the Mayor and the Freeholder of the district in which the emergency has arisen via telephone call, fax, or email, as soon as is practicable under the circumstances.

D. Any contractor or public utility that is found to have characterized a situation as an emergency that is later discovered to have not been an immediate danger to the health, safety, or welfare of the public shall be subject to the following penalties:

\$1,000.00 per day for the first violation;

\$1,500.00 per day for the second violation;

\$2,000.00 per day for the third violation.

3. This Ordinance shall take effect in the manner prescribes by law.

Freeholder	Ауе	Nay	Abst	N.P.	Freeholder	Ауе	Nay	Abst.	N.P.
Balmir	V				Rivas	\checkmark			
Cifelli	~				Rodriguez	~			
Kopacz				V	Romano	1			
Maldonado	7				Chairperson Vainieri	1			
O'Dea	1								

It is hereby certified that at a regular meeting of the Board of Freeholders of the County of Hudson held on the day of Suve-A.D. 2017, the foregoing Ordinance was introduced with members \Im voting in the affirmative and D in the negative.

APPROVED AS TO LEGAL FORM

Clerk

BY:

DONATO J. BATTISTA HUDSON COUNTY COUNSEL Source: Law DJD/ek

COUNTY OF HUDSON



OFFICE OF THE COUNTY EXECUTIVE

Brennan Court House 583 Newark Avenue Jersey City, New Jersey 07306 Phone: 201-795-6200 Fax: 201-714-4825 THOMAS A. DE GISE COUNTY EXECUTIVE

June 29, 2017

Alberto Santos, Clerk Hudson County Board of Chosen Freeholders 567 Pavonia Avenue Jersey City, New Jersey 07306

> RE: Executive Order No. TAD -67 Notice to be provided to County Executive and Board of Chosen Freeholders Upon Application of Road Permit.

Dear Mr. Santos:

Pursuant to the authority and duties of the County Executive announced in Section <u>N.J.S.A.</u> 40:41A-36 (d) of the County Executive Form of Optional County Charter Law, relative to the duty to supervise the care and custody of all County property to please be advised of the following Executive Order:

WHEREAS, Ordinance Number 116-2-1999 sets forth the "Rules and Regulations Governing Road Opening Permits"; and

WHEREAS, upon consultation with the County Department of Roads and Public Property, and the Board of Chosen Freeholders, it is anticipated that such road openings often cause traffic delays and other service interruptions to the municipalities, towns, and townships in which road work is to be performed; and

WHEREAS, such interruptions could be mitigated if proper notice is provided to the elected officials in whose districts work is anticipated, further enhancing the health, safety, and welfare of pedestrians and motorists on those roadways.

-Page 2-

NOW, THEREFORE, I, THOMAS A. DEGISE, as County Executive do hereby ORDER and DIRECT as follows:

1. The aforesaid recitals are incorporated herein as though fully set forth at length.

2. Upon application by a contractor to the County Engineer for any road opening permit, the County Engineer shall provide notice of such application to the Mayor and Freeholder in the district in which the road opening shall take place via fax, email, telephone call, or any other form of communication deemed appropriate to convey the information.

3. Elected officials shall have three (3) days in which to bring to the attention of the County Engineer any reasonably foreseeable delays that shall be incurred by the granting of such permit.

4. Upon that information the County Engineer shall approve or deny the permit, or, in the alternative, re-schedule the work to be performed.

5. Any work being performed pursuant to an emergency shall be communicated as soon as is practicable under the circumstances.

6. The Clerk of this Board shall forward a certified copy of this Executive Order to the Municipal Clerks of all Hudson County Municipalities.

7. This Executive Order shall remain in place until rescinded.

Respectfully Submitted, Gomas KI. Thomas A. DeGise Hudson County Executive

TAD:mm

cc: Honorable Anthony Vainieri, Chairperson, Board of Chosen Freeholders
 Abraham Antun, County Administrator
 David Drumeler, Deputy County Administrator
 Denise D'Alessandro, Director of Roads and Public Property





NOTES:

- TRANSVERSE $\frac{1}{2}$ " WIDE SHALL BE INSTALLED IN THE CURB 20'- 0" APART FIBER JOINT FILLER RECESSED $\frac{1}{4}$ " IN FROM FRONT FACE AND TOP OF CURB. AND SHALL BE FILLED WITH PREFORMED BITUMINOUS-IMPREGNATED
- N IN THE UNIT PRICE BID FOR CURB. EXPANSION JOINTS THRU AND ADJACENT TO THE CURB SHALL BE INCLUDED
- WHITE CONCRETE VERTICAL CURB DETAIL





METHOD OF CONCRETE RECONSTRUCTION

- STEP 1 CONCRETE TO BE SAWCUT TO DEPTH ABOVE EXISTING REINFORCEMENT AROUND PERIMETER.
- STEP 2-**REMOVE ALL CONCRETE WITHIN SAWCUT AREA.**
- STEP 3-**EXISTING STEEL TO BE CUT & REMOVED LEAVING** 12" MIN. DOWEL FOR OVERLAP OF NEW REINFORCEMENT.
- STEP 4-PREPARE UNDER LAYER AND PLACE REINFORCEMENT.
- STEP 5-CONCRETE SURFACE COURSE 9" THICK.



PROPOSED CONCRETE RECONSTRUCTION

NOT TO SCALE

PAVEMENT RECONSTRUCTION DETAIL

NOT TO SCALE

TYPICAL SECTION



CURB PIECE TYPE "N - ECO"

CAMPBELL FOUNDRY or APPROVED EQUIVALENT



00000 pen table=\\\NJDOTPRJWS\V8systam\\NJDOTWS\Projacts\NJDOTEng\Iplot\TBLs\Roadway\Details_

LL date=28-SEP-2016 11



\EP-2016 11:07 scale=63.073

VILL date=28-S£

	CURB RAMP TYPE 3			
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	0.0 % GUTTER LINE PROFILE	1.0 % GUTTER LINE PROFILE	2.0 % GUTTER LINE PROFILE 3.0 %	GUTTER LINE PROFILE
INCHES FEET FEET FEET FEET	INCHES FEET FEET FEET FEET INCHES FEET FEET FEET	INCHES FEET FEET FEET FEET INCHES FEET FEET FEET	INCHES FEET FEET FEET FEET INCHES FEET FEET FEET INCHES	FEET FEET FEET FEET INCHES FEET FEET FEET
<u>3</u> <u>3</u> <u>2.50</u> <u>2.50</u> <u>9.00</u> <u>4</u> <u>4</u> <u>3.33</u> <u>3.33</u> <u>10.67</u>	3 2.50 2.50 9.00 0.91 0.91 5.82	3 2.78 2.27 9.05 1.04 0.81 5.85	3 3.13 2.08 9.21 1.20 0.73 5.93 3	3.57 1.92 9.49 1.42 0.67 6.09
5 5 4.17 4.17 12.33	4 3.33 3.33 10.67 1.91 1.91 7.82 5 417 417 12.33 7.91 2.91 9.82	4 3.70 3.03 10.73 2.17 1.71 7.88 5 4.62 3.79 12.42 3.31 2.60 9.91	4 4.17 2.78 10.94 2.52 1.54 8.06 4 5 5.21 3.47 12.68 3.83 2.35 10.18 5	4.76 2.56 11.33 2.99 1.41 8.39 5.95 3.21 13.16 4.55 2.14 10.69
6 6 5.00 5.00 14.00	5 4.17 4.17 12.33 2.91 2.91 9.82 6 2.75 5.00 5.00 14.00 2.75 3.91 3.91 11.83	5 4.05 3.75 12.42 5.31 2.00 5.51 6 2.75 5.56 4.55 14.10 2.75 4.45 3.49 11.94	5 5.21 5.47 12.06 5.83 2.35 10.16 5 6 2.75 6.25 4.17 14.42 2.75 5.15 3.16 12.30 6	2.75 7.14 3.85 14.99 2.75 6.11 2.88 12.99
8 8 6.67 6.67 17.33	7 5.83 5.83 15.67 4.91 4.91 13.83	7 6.48 5.30 15.78 5.58 4.39 13.97	7 7.29 4.86 16.15 6.47 3.96 14.43 7	8.33 4.49 16.82 7.68 3.61 15.29
9 9 7.50 7.50 19.00	8 6.67 6.67 17.33 5.91 5.91 15.83 9 7.50 7.50 19.00 6.91 6.91 17.83	8 7.41 6.06 17.47 6.72 5.28 16.00 9 8.33 6.82 19.15 7.86 6.17 18.03	8 8.33 5.56 17.89 7.78 4.77 16.55 8 9 9.38 6.25 19.63 9.10 5.58 18.67 9	9.52 5.13 18.65 9.24 4.35 17.59 10.71 5.77 20.48 10.81 5.08 19.89
1.0. % GUTTER LINE PROFILE	3 * * * * * * *	3 2.78 2.27 9.05 0.82 0.64 5.46	3 3.13 2.08 9.21 0.95 0.58 5.53 3	3.57 1.92 9.49 1.13 0.53 5.66
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	4 3.33 3.33 10.67 1.72 1.72 7.44	4 3.70 3.03 10.73 1.96 1.54 7.49	4 4.17 2.78 10.94 2.27 1.39 7.65 4	4.76 2.56 11.33 2.69 1.27 7.96 5.95 3.21 13.16 4.25 3.00 10.26
INCHES FEET FEET FEET FEET	5 4.17 4.17 12.35 2.72 2.72 9.44 6 3.0 5.00 5.00 14.00 3.0 3.72 3.72 11.45	5 4,65 3.75 12,42 5,05 2,43 9,52 6 3.0 5.56 4.55 14,10 3.0 4.23 3.32 11.55	5 3.11 3.47 12.06 3.38 2.20 5.78 5 6 3.0 6.25 4.17 14.42 3.0 4.90 3.00 11.90 6	3.95 3.21 13.16 4.25 2.00 10.26 3.0 7.14 3.85 14.99 3.0 5.82 2.74 12.55
<u>3</u> <u>3</u> <u>2.78</u> <u>2.27</u> <u>9.05</u> <u>4</u> <u>4</u> <u>3.70</u> <u>3.03</u> <u>10.73</u>	7 5.83 5.83 15.67 4.72 4.72 13.45	7 6.48 5.30 15.78 5.37 4.22 13.58	7 7.29 4.86 16.15 6.22 3.81 14.02 7	8.33 4.49 16.82 7.38 3.47 14.85
5 5 4.63 3.79 12.42	8 6.67 6.67 17.33 5.72 5.72 15.45 9 7.50 7.50 19.00 6.72 6.72 17.45	8 7.41 6.06 17.47 6.50 5.11 15.61 9 8.33 6.82 19.15 7.64 6.00 17.64	8 8.33 5.56 17.89 7.53 4.62 16.15 8 9 9.38 6.25 19.63 8.85 5.42 18.27 9	9.52 5.13 18.65 8.94 4.21 17.15 10.71 5.77 20.48 10.51 4.94 19.45
6 6 5.56 4.55 14.10	3 * * * * * * *	3 2.78 2.27 9.05 0.39 0.30 4.69	3 3.13 2.08 9.21 0.45 0.28 4.72 3	3.57 1.92 9.49 0.53 0.25 4.78
7 7 6.48 5.50 15.78 8 8 7.41 6.06 17.47	4 3.33 3.33 10.67 1.34 1.34 6.68	4 3.70 3.03 10.73 1.53 1.20 6.72	4 4.17 2.78 10.94 1.77 1.08 6.85 4	4.76 2.56 11.33 2.10 0.99 7.08
9 9 8.33 6.82 19.15	5 4.17 4.17 12.35 2.34 2.34 0.06 6 3.5 5.00 5.00 14.00 3.5 3.34 3.34 10.69	6 3.5 5.56 4.55 14.10 3.5 3.80 2.98 10.78	5 5.11 5.47 12.05 5.00 1.05 6.37 5 6 3.5 6.25 4.17 14.42 3.5 4.40 2.70 11.09 6	3.95 3.21 13.10 3.00 1.72 9.38 3.5 7.14 3.85 14.99 3.5 5.22 2.46 11.68
2.0 % GUTTER LINE PROFILE	7 5.83 5.83 15.67 4.34 4.34 12.69	7 6.48 5.30 15.78 4.94 3.88 12.81	7 7.29 4.86 16.15 5.72 3.50 13.22 7	8.33 4.49 16.82 6.79 3.19 13.98
H W X _{1U} X _{1L} L ₁	8 6.67 6.67 17.33 5.34 5.34 14.69 9 7.50 7.50 19.00 6.34 6.34 16.69	8 7.41 6.06 17.47 6.07 4.77 14.84 9 8.33 6.82 19.15 7.21 5.66 16.87	8 8.33 5.56 17.89 7.03 4.31 15.34 8 9 9.38 6.25 19.63 8.35 5.12 17.46 9	9.52 5.13 18.65 8.35 3.93 16.28 10.71 5.77 20.48 9.91 4.66 18.58
INCHES FEET FEET FEET FEET	3 * * * * * * *	3 * * * * * *	3 * * * * * * 3	* * * * * * * *
3 3 3.13 2.08 9.21 4 4 4.17 2.78 10.94	4 * * * * *	4 3.70 3.03 10.73 1.09 0.86 5.95	4 4.17 2.78 10.94 1.27 0.78 6.04 4	4.76 2.56 11.33 1.50 0.71 6.21
5 5 5.21 3.47 12.68	5 4,17 4.17 12,33 1.96 1.96 7,92 6 4.0 5.00 5.00 14.00 4.0 2.96 2.96 9.93	5 4.63 3.79 12.42 2.23 1.75 7.98 6 4.0 5.56 4.55 14.10 4.0 3.37 2.65 10.01	5 3.21 3.47 12.06 2.38 1.38 0.16 5 6 4.0 6.25 4.17 14.42 4.0 3.90 2.39 10.29 6	5.95 3.21 13.16 3.07 1.44 8.51 4.0 7.14 3.85 14.99 4.0 4.63 2.18 10.81
6 6 6.25 4.17 14.42 7 7 7 7 7 0 4.86 16.15	7 5.83 5.83 15.67 3.96 3.96 11.93	7 6.48 5.30 15.78 4.50 3.54 12.04	7 7.29 4.86 16.15 5.22 3.20 12.41 7	8.33 4.49 16.82 6.19 2.91 13.11
7 7 7.29 4.80 16.15 8 8 8.33 5.56 17.89	8 6.67 6.67 17.33 4.96 4.96 13.93 9 7.50 7.50 19.00 5.96 5.96 15.93	8 7.41 6.06 17.47 5.64 4.43 14.07 9 8.33 6.82 19.15 6.78 5.32 16.10	8 8.33 5.56 17.89 6.53 4.00 14.53 8 9 9.38 6.25 19.63 7.85 4.81 16.66 9	9.52 5.13 18.65 7.76 3.65 15.41 10.71 5.77 20.48 9.32 4.38 17.71
9 9 9.38 6.25 19.63	a 1120 1120 73100 9120 9120 73120	3 0.33 0.02 23:23 0.70 3.32 20:20		10.71 5.77 20.45 5.52 4.56 17.71
3.0 % GUTTER LINE PROFILE				
H W X _{1U} X _{1L} L ₁	4.0 % GUTTER LINE PROFILE	5.0 % GUTTER LINE PROFILE	6.0 % GUTTER LINE PROFILE 7.0 9	
3 3 3.57 1.92 9.49	INCHES FEET FEET FEET FEET INCHES FEET FEET FEET	INCHES FEET FEET FEET FEET INCHES FEET FEET FEET	INCHES FEET FEET FEET FEET INCHES FEET FEET FEET INCHES	FEET FEET FEET FEET INCHES FEET FEET FEET
4 4 4.76 2.56 11.33	3 4.17 1.79 9.95 1.75 0.62 6.37	3 5.00 1.67 10.67 2.28 0.57 6.85	3 6.25 1.56 11.81 3.26 0.53 7.79 3	8.33 1.47 13.80 5.71 0.50 10.20
5 5 5.95 3.21 13.16 6 6 7 14 3.85 14.99	4 5.56 2.38 11.94 3.68 1.29 8.97	4 6.67 2.22 12.89 4.78 1.19 9.98	4 8.33 2.08 14.42 6.84 1.11 11.95 4 5 10.42 2.60 17.02 10.41 1.60 16.10 5	11.11 1.96 17.07 11.97 1.04 17.01 12.80 2.45 20.34 15.00 1.58 20.58
7 7 8.33 4.49 16.82	5 0.54 2.58 13.52 5.60 1.57 11.57 6 2.75 8.33 3.57 15.90 2.75 7.53 2.64 14.17	5 6,33 2.78 13.11 7.23 1.82 13.10 6 2.75 10.00 3.33 17.33 2.75 9.79 2.45 16.23	5 10.42 2.00 17.02 10.41 1.09 10.10 5 6 2.75 12.50 3.13 19.63 2.75 13.99 2.27 20.26 6	15.89 2.45 20.34 15.00 1.38 20.38 2.75 15.00 2.94 21.94 2.75 15.00 2.13 21.13
8 8 9.52 5.13 18.65	7 9.72 4.17 17.89 9.45 3.32 16.77	7 11.67 3.89 19.56 12.29 3.07 19.36	7 14.58 3.65 22.23 15.00 2.86 21.86 7	15.00 3.43 22.43 15.00 2.67 21.67
9 9 10.71 5.77 20.48	8 11.11 4.76 19.87 11.38 4.00 19.37 9 12.50 5.36 21.86 13.30 4.67 21.97	8 13.33 4.44 21.78 14.79 3.70 22.49 9 15.00 5.00 24.00 15.00 4.32 23.32	8 15.00 4.17 23.17 15.00 3.44 22.44 8 9 15.00 4.69 23.69 15.00 4.02 23.02 9	15.00 3.92 22.92 15.00 3.21 22.21 15.00 4.41 23.41 15.00 3.76 22.76
4.0 % GUTTER LINE PROFILE	3 4.17 1.79 9.95 1.39 0.49 5.88	3 5.00 1.67 10.67 1.80 0.45 6.26	3 6.25 1.56 11.81 2.58 0.42 7.00 3	8.33 1.47 13.80 4.52 0.39 8.91
H W X _{1U} X _{1L} L ₁	4 5.56 2.38 11.94 3.31 1.16 8.48	4 6.67 2.22 12.89 4.31 1.08 9.38 5 8.32 2.78 15.11 6.61 1.70 12.51	4 8.33 2.08 14.42 6.16 1.00 11.16 4	11.11 1.96 17.07 10.78 0.94 15.72 13.80 2.45 20.34 15.00 1.48 20.48
3 3 4.17 1.79 9.95	5 0.54 2.58 13.52 5.24 1.64 11.08 6 3.0 8.33 3.57 15.90 3.0 7.16 2.52 13.68	5 8.33 2.78 15.11 6.81 1.70 12.31 6 3.0 10.00 3.33 17.33 3.0 9.31 2.33 15.64	5 10.42 2.60 17.02 9.75 1.58 15.51 5 6 3.0 12.50 3.13 19.63 3.0 13.31 2.16 19.47 6	15.89 2.45 20.34 15.00 1.48 20.48 3.0 15.00 2.94 21.94 3.0 15.00 2.02 21.02
4 4 5.56 2.38 11.94	7 9.72 4.17 17.89 9.09 3.19 16.28	7 11.67 3.89 19.56 11.81 2.95 18.77	7 14.58 3.65 22.23 15.00 2.75 21.75 7	15.00 3.43 22.43 15.00 2.57 21.57
<u>5 5 6.94 2.98 13.92</u> <u>6 6 8 33 3 57 15.90</u>	8 11.11 4.76 19.87 11.01 3.87 18.88 9 12.50 5.36 21.86 12.94 4.54 21.48	8 13.33 4.44 21.78 14.32 3.58 21.89 9 15.00 5.00 24.00 15.00 4.20 23.20	8 15.00 4.17 23.17 15.00 3.33 22.33 8 9 15.00 4.69 23.69 15.00 3.91 22.91 9	15.00 3.92 22.92 15.00 3.11 22.11 15.00 4.41 23.41 15.00 3.65 22.65
7 7 9.72 4.17 17.89	3 4.17 1.79 9.95 0.66 0.23 4.89	3 5.00 1.67 10.67 0.85 0.21 5.07	3 6.25 1.56 11.81 1.22 0.20 5.42 3	8.33 1.47 13.80 2.14 0.19 6.32
8 8 <u>11.11</u> 4.76 <u>19.87</u> 9 9 12 50 5 36 21 86	4 5.56 2.38 11.94 2.58 0.91 7.49	4 6.67 2.22 12.89 3.36 0.84 8.20	4 8.33 2.08 14.42 4.80 0.78 9.58 4	<u>11.11</u> <u>1.96</u> <u>17.07</u> <u>8.40</u> <u>0.73</u> <u>13.13</u>
5 5 11.55 5.55 11.00	6 3.5 8.33 3.57 15.90 3.5 6.43 2.26 12.69	5 6.35 2.76 15.11 5.86 1.46 11.32 6 3.5 10.00 3.33 17.33 3.5 8.36 2.09 14.45	5 10.42 2.60 17.02 8.37 1.36 13.74 5 6 3.5 12.50 3.13 19.63 3.5 11.95 1.94 17.89 6	15.89 2.45 20.34 14.07 1.27 19.94 3.5 15.00 2.94 21.94 3.5 15.00 1.82 20.82
5.0 % GUTTER LINE PROFILE	7 9.72 4.17 17.89 8.36 2.93 15.29	7 11.67 3.89 19.56 10.86 2.71 17.58	7 14.58 3.65 22.23 15.00 2.52 21.52 7	15.00 3.43 22.43 15.00 2.36 21.36
INCHES FEET FEET FEET FEET	8 11.11 4.76 19.87 10.28 3.61 17.89 9 12.50 5.36 21.86 12.20 4.29 20.49	8 13.33 4.44 21.78 13.37 3.34 20.71 9 15.00 5.00 24.00 15.00 3.96 22.96	8 15.00 4.17 23.17 15.00 3.11 22.11 8 9 15.00 4.69 23.69 15.00 3.69 22.69 9	15.00 3.92 22.92 15.00 2.90 21.90 15.00 4.41 23.41 15.00 3.45 22.45
3 3 5.00 1.67 10.67	3 * * * * * *	3	3	
4 4 6.67 2.22 12.89	4 5.56 2.38 11.94 1.85 0.65 6.50	4 6.67 2.22 12.89 2.41 0.60 7.01	4 8.33 2.08 14.42 3.44 0.56 8.00 4	11.11 1.96 17.07 6.03 0.52 10.55 13.89 2.45 20.34 13.29 1.07 17.26
5 5 8.55 2.78 15.11 6 6 10.00 3.33 17.33	5 0.54 2.56 13.52 5.76 1.35 5.10 6 4.0 8.33 3.57 15.90 4.0 5.70 2.00 11.70	5 6,35 2.76 15.11 4.91 1.23 10.14 6 4.0 10.00 3.33 17.33 4.0 7.41 1.85 13.26	5 10.42 2.60 17.02 7.02 1.14 12.10 5 6 4.0 12.50 3.13 19.63 4.0 10.59 1.72 16.31 6	4.0 15.00 2.94 21.94 4.0 15.00 1.61 20.61
7 7 11.67 3.89 19.56	7 9.72 4.17 17.89 7.62 2.68 14.30	7 11.67 3.89 19.56 9.91 2.48 16.39	7 14.58 3.65 22.23 14.17 2.30 20.47 7	15.00 3.43 22.43 15.00 2.15 21.15
8 8 13.33 4.44 21.78 9 9 15.00 5.00 24.00	8 11.11 4.76 19.87 9.55 3.35 16.90 9 12.50 5.36 21.86 11.47 4.03 19.50	8 13.33 4.44 21.78 12.42 3.10 19.52 9 15.00 5.00 24.00 14.92 3.73 22.65	8 15.00 4.17 23.17 15.00 2.89 21.89 8 9 15.00 4.69 23.69 15.00 3.47 22.47 9	15.00 3.92 22.92 15.00 2.70 21.70 15.00 4.41 23.41 15.00 3.24 22.24
B.0 % GUTTEK LINE PROFILE H W X _{1U} X _{1L} L ₁	NOTES:			
INCHES FEET FEET FEET FEET 3 3 6.25 1.56 11.01	1. FOR CURB RAM	T ITES, SEE GU-606-1.		CONCRETE SIDEWALK
3 3 0.23 1.30 11.81 4 4 8.33 2.08 14.42	CURB RAMP TYPE 2 2. THE ABOVE TAI THEY DO NOT	BLES ARE BASED ON THE SPECIFIC GUTTER PROFILE REFERENCED. TAKE INTO ACCOUNT VARIATIONS IN THE GUTTER PROFILE THE ABOV	re tables (Pl	JBLIC SIDEWALK CURB RAMP TABLES)
5 5 10.42 2.60 17.02	0-8 % GUTTER LINE PROFILE TO BE USED BY	Y THE DESIGNERS AND CONTRACTORS TO GET APPROXIMATE DIMENSI	IONS OF	N.T.5.
7 7 14.58 3.65 22.23	INCHES FEET FEET FEET FEET MEASUREMENTS	P AT EACH LOCATION. FINAL DIMENSIONS WILL BE DETERMINED BY AC IN THE FIELD DUBING CONSTRUCTION	TUAL LEGEND	CD-606-3
8 8 15.00 4.17 23.17 9 9 15.00 4.60 23.60	3 3 1.50 1.50 7.00 4 4 1.50 1.50 7.00 3 THE 12H-11/ MAX	SLOPE IS THE BUINNING SLOPE FOR CURB BAMPS BUT ONLY THE 12	U = UPPER SIDE OF GUTTER LINE PROFILE	NEW JERSEY DEPARTMENT OF TRANSPORTATION
3 3 13.00 4.09 23.09	5 5 1.50 1.50 7.00 MEASURED AS	X IS THE RUNNING SLOPE FOR TYPE 3 AND TYPE 4 CURB RAMPS. EN	ISURE THE L = LOWER SIDE OF GUTTER LINE PROFILE	
7.0 % GUTTER LINE PROFILE	0 1.50 1.50 7.00 RUNNING SLOPE 7 7 1.50 1.50 7.00 DUNNING SLOPE	OF CURB RAMPS DOES NOT REQUIRE ITS LENGTH TO EXCEED 15 FE	ET. THE FOR THE OTHER ABBREVIATIONS - REFER TO CD-606-1	CONSTRUCTION DETAILS
	8 8 1.50 1.50 7.00 MAXIMUM LENG	TH. THE TABLES ALREADY APPLY THE 15 FEET RULE FOR THOSE CAL	CULATED * TYPE 3 RAMP IS NOT APPLICABLE, USE TYPE 1	
3 3 8.33 1.47 13.80	LENGTHS WHICH	EXCEED 15 FEET.	** TYPE 4 RAMP IS NOT APPLICABLE USE TYPE 2	
4 4 11.11 1.96 17.07 4 5 5 13.89 2.45 20.34	4. DIMENSIONS SHO	OWN IN TABLES ARE FOR 3 INCH TO 9 INCH CURB HEIGHTS. WHERE T	HE CURB	
6 6 15.00 2.94 21.94	HEIGHTS ARE O WILL HAVE TO	THER THAN WHAT IS PROVIDED IN THE TABLES, THE DIMENSIONS OF THE CALCULATED BASED ON CROSS SLOPES SHOWN	THE HAMPS	
0 7 7 15.00 3.43 22.43 6 8 8 15.00 3.93 23.93				
9 9 15.00 3.92 22.92 9 9 15.00 4.41 23.41				
			CD-606-3.1	164

file=

CURB RAMP TYPE 4

н	W		Xau	Xa	6	Н
INCHES	FEET	INCHES	FFFT	FEET	FEET	INC
3			0.91	0.91	5.82	3
4		1	1.91	1.91	7.82	4
5		1.1.1	2.91	2.91	9.82	5
6	2.75	2.75	3.91	3.91	11.82	6
7			4 91	4 91	13.83	7
8			5.91	5.91	15.83	8
9			6.91	6.91	17.83	9
3			**	**	**	3
4			1.72	1.72	7.44	4
5			2.72	2.72	9.44	5
6	3.0	3.0	3.72	3.72	11.45	6
7			4.72	4.72	13.45	7
8			5.72	5.72	15.45	8
9			6.72	6.72	17.45	9
3	A		**	**	**	3
4			1.34	1.34	6.68	4
5			2.34	2.34	8.68	5
6	3.5	3.5	3.34	3.34	10.69	6
7			4.34	4.34	12.69	7
8			5.34	5.34	14.69	8
9			6.34	6.34	16.69	9
3			**	**	**	3
4			**	**	**	4
5			1.96	1.96	7.92	5
6	4.0	4.0	2.96	2.96	9.93	6
7			3.96	3.96	11.93	7
8			4.96	4.96	13.93	8
9			5.96	5.96	15.93	9

X_{2L}

FEET

1.29

0.62 6.37

1.97 11.57

2.64 14.17

3.32 16.77

4.00 19.37

4.67 21.97 0.49 5.88

1.16 8.48

2.52 13.68

4.54 21.48 0.23 4.89

0.91 7.49 1.58 10.09 2.26 12.69 2.93 15.29 3.61 17.89 4.29 20.49 **

1.84

3.19

3.87

Ь

FEET

8 97

11.08

16.28

** 0.65 6.50
 1.33
 9.10

 2.00
 11.70
 2.68 14.30 3.35 16.90 4.03 19.50

18.88

Н	w	Y	X _{2U}	X _{2L}	L ₂
INCHES	FEET	INCHES	FEET	FEET	FEET
3			1.04	0.81	5.85
4			2.17	1.71	7.88
5			3.31	2.60	9.91
6	2.75	2.75	4.45	3.49	11.94
7			5.58	4.39	13.97
8			6.72	5.28	16.00
9			7.86	6.17	18.03
3			0.82	0.64	5.46
4			1.96	1.54	7.49
5		3.0	3.09	2.43	9.52
6	3.0		4.23	3.32	11.55
7			5.37	4.22	13.58
8			6.50	5.11	15.61
9			7.64	6.00	17.64
3	1.00		0.39	0.30	4.69
4			1.53	1.20	6.72
5			2.66	2.09	8.75
6	3.5	3.5	3.80	2.98	10.78
7			4.94	3.88	12.81
8			6.07	4.77	14.84
9			7.21	5.66	16.87
3			**	**	**
4			1.09	0.86	5.95
5			2.23	1.75	7.98
6	4.0	4.0	3.37	2.65	10.01
7			4.50	3.54	12.04
8			5.64	4.43	14.07
9			6.78	5.32	16.10

н	w	Y	X _{2U}	X _{2L}	L ₂
INCHES	FEET	INCHES	FEET	FEET	FEET
3	- C24		1.20	0.73	5.93
4			2.52	1.54	8.06
5			3.83	2.35	10.18
6	2.75	2.75	5.15	3.16	12.30
7			6.47	3.96	14.43
8		[7.78	4.77	16.55
9			9.10	5.58	18.67
3			0.95	0.58	5.53
4		[2.27	1.39	7.65
5		1.00	3.58	2.20	9.78
6	3.0	3.0	4.90	3.00	11.90
7			6.22	3.81	14.02
8		[7.53	4.62	16.15
9			8.85	5.42	18.27
3			0.45	0.28	4.72
4			1.77	1.08	6.85
5		[3.08	1.89	8.97
6	3.5	3.5	4.40	2.70	11.09
7			5.72	3.50	13.22
8		[7.03	4.31	15.34
9		· · · · · ·	8.35	5.12	17.46
3			**	**	**
4			1.27	0.78	6.04
5			2.58	1.58	8.16
6	4.0	4.0	3.90	2.39	10.29
7			5.22	3.20	12.41
8			6.53	4.00	14.53
9			7.85	4.81	16.66

3.0 % GUTTER LINE PROFILE							
н	w	Y	X _{2U}	X _{2L}	L ₂		
INCHES	FEET	INCHES	FEET	FEET	FEET		
3			1.42	0.67	6.09		
4			2.99	1.41	8.39		
5			4.55	2.14	10.69		
6	2.75	2.75	6.11	2.88	12.99		
7			7.68	3.61	15.29		
8			9.24	4.35	17.59		
9			10.81	5.08	19.89		
3			1.13	0.53	5.66		
4			2.69	1.27	7.96		
5		3.0	4.25	2.00	10.26		
6	3.0		5.82	2.74	12.55		
7			7.38	3.47	14.85		
8			8.94	4.21	17.15		
9			10.51	4.94	19.45		
3	C 1		0.53	0.25	4.78		
4			2.10	0.99	7.08		
5			3.66	1.72	9.38		
6	3.5	3.5	5.22	2.46	11.68		
7			6.79	3.19	13.98		
8			8.35	3.93	16.28		
9			9.91	4.66	18.58		
3		· · · · · · · · · · · · · · · · · · ·	**	**	**		
4			1.50	0.71	6.21		
5		1.00	3.07	1.44	8.51		
6	4.0	4.0	4.63	2.18	10.81		
7			6.19	2.91	13.11		
8			7.76	3.65	15.41		
9			9 32	4 38	17 71		

H INCHES	W FEET	X _{1U} FEET	X ₁₁ FEET	L ₁ FEET
3		3.41	2.68	10.09
4		4.55	3.57	12.12
5	A' MAINI	5.68	4.47	14.15
6	4 WIIN.	6.82	5.36	16.18
7	/ MAX.	7.96	6.25	18.21
8		9.10	7.15	20.24
9		10.23	8.04	22.27
2.0 H INCHES	% GUTTE W FEET	R LINE PRO X ₁₀ FEET	DFILE X _{1L} FEET	L ₁ FEET
3		3.95	2.42	10.37
4		5.27	3.23	12.49
r.	1.711	C EO	4.02	14.63

 7.82
 3.68
 15.49

 9.38
 4.41
 17.79

 10.94
 5.15
 20.09

10.90

13.20

22.39

24.69

4.69 2.21 6.25 2.94

12.51 5.88 14.07 6.62

CURB RAMP TYPE 7

X_{1U}

FEET

3.00

4.00

5.00

6.00

8.00

FEET

3.00

4.00

5.00

6.00

7.00 7.00 18.01

8.00

9.00 9.00 22.01

FEET

10.00

12.00

14.00

16.00

20.01

0.0 % GUTTER LINE PROFILE

W

FEET

4' MIN

7' MAX.

INCHES

3

8

2.0	% GU
н	W
INCHES	FEE
3	
4	
5	1.64
6	4 101
	I T IVIA

8

3.0 % GUTTER LINE PROFILE							
H INCHES	W FEET	X _{1U} FEET	X; FE				
3		4.69	2.3				
4		6.25	2.9				
5		7.82	3.6				
6	% GUTTE W FEET 4' MIN. 7' MAX.	9.38	4.4				
7	7 MAX.	10.94	5.1				
8		12.51	5.8				

4.0 % GUTTER LINE PROFILE					
Н	W	Y	X _{2U}		
INCHES	FEET	INCHES	FEET		
3			1.75		
4		1 [3.68		
5	2.75		5.60		
6		2.75	7.53		
7			9.45		
8		[11.38		
9			13.30		
3	6	1	1.39		
4		[3.31		
5			5.24		
6	3.0	3.0	7.16		
7			9.09		
8			11.01		
9			12.94		
3			0.66		
4		1	2.58		
5			4.51		
6	3.5	3.5	6.43		
7		1 1	8.36		
8			10.28		
9			12.20		
3			**		
4		1 [1.85		
5		1 [3.78		
6	4.0	4.0	5.70		
7			7.62		
8		1 1	9.55		
9		1 1	11.47		

5.0 % GUTTER LINE PROFILE							
Н	W	Y	X _{2U}	X _{2L}	L ₂		
INCHES	FEET	INCHES	FEET	FEET	FEET		
3			2.28	0.57	6.85		
4			4.78	1.19	9.98		
5			7.29	1.82	13.10		
6	2.75	2.75	9.79	2.45	16.23		
7	1. 1. 1.		12.29	3.07	19.36		
8			14.79	3.70	22.49		
9			15.00	4.32	23.32		
3			1.80	0.45	6.26		
4			4.31	1.08	9.38		
5		3.0	6.81	1.70	12.51		
6	3.0		9.31	2.33	15.64		
7			11.81	2.95	18.77		
8			14.32	3.58	21.89		
9			15.00	4.20	23.20		
3			0.85	0.21	5.07		
4			3.36	0.84	8.20		
5			5.86	1.46	11.32		
6	3.5	3.5	8.36	2.09	14.45		
7			10.86	2.71	17.58		
8			13.37	3.34	20.71		
9			15.00	3.96	22.96		
3	P	· · · · · · · · · · · · · · · · · · ·	**	**	**		
4	· · · · · · · · · · · · · · · · · · ·		2.41	0.60	7.01		
5	1 - J.		4.91	1.23	10.14		
6	4.0	4.0	7.41	1.85	13.26		
7			9.91	2.48	16.39		
8			12.42	3.10	19.52		
9			14 92	3 73	22.65		

6.0	% GUTT	ER LINE PRO	DFILE			1	7.0	% GUTT	R LINE PRO	OFILE
Н	W	Y	X _{2U}	X _{2L}	L ₂	1	н	W	Y	X ₂
INCHES	FEET	INCHES	FEET	FEET	FEET		INCHES	FEET	INCHES	FEE
3			3.26	0.53	7.79	1	3			5.7
4			6.84	1.11	11.95	1	4			11.9
5			10.41	1.69	16.10		5		h = 1	15.
6	2.75	2.75	13.99	2.27	20.26	1	6	2.75	2.75	15.
7			15.00	2.86	21.86		7			15.
8			15.00	3.44	22.44		8			15.
9			15.00	4.02	23.02		9			15.
3	1.0		2.58	0.42	7.00		3			4.5
4		10	6.16	1.00	11.16		4		··· 0 ································	10.
5		1	9.73	1.58	15.31		5			15.
6	3.0	3.0	13.31	2.16	19.47		6	3.0	3.0	15.
7		1.00	15.00	2.75	21.75		7			15.
8			15.00	3.33	22.33		8			15.
9			15.00	3.91	22.91		9			15.
3			1.22	0.20	5.42		3	1		2.1
4			4.80	0.78	9.58		4			8.4
5		P-72	8.37	1.36	13.74		5			14.
6	3.5	3.5	11.95	1.94	17.89		6	3.5	3.5	15.
7			15.00	2.52	21.52		7			15.
8			15.00	3.11	22.11		8			15.0
9			15.00	3.69	22.69		9		. 6 A M	15.0
3		11	**	**	**		3	1.000		**
4			3.44	0.56	8.00		4		· · · · ·	6.0
5		11-11-1	7.02	1.14	12.16		5		64	12.
6	4.0	4.0	10.59	1.72	16.31		6	4.0	4.0	15.0
7			14.17	2.30	20.47		7			15.
8	2		15.00	2.89	21.89		8			15.
9			15.00	3.47	22.47		9			15.

		15.00	3.11	22.11
	· · · · · · · · · · · · · · · · · · ·	15.00	3.65	22.65
		2.14	0.19	6.32
		8.40	0.73	13.13
		14.67	1.27	19.94
3.5	3.5	15.00	1.82	20.82
		15.00	2.36	21.36
		15.00	2.90	21.90
		15.00	3.45	22.45
		**	**	**
	· · · · · ·	6.03	0.52	10.55
	1	12.29	1.07	17.36
4.0	4.0	15.00	1.61	20.61
		15.00	2.15	21.15
		15.00	2.70	21.70
		15.00	3.24	22.24

X_{2U}

FEET

X_{2L}

FEET

5.71 0.50 10.20

11.97 1.04 17.01

15.00 1.58 20.58

15.00 2.13 21.13

15.00 2.67 21.67

15.00 3.76 22.76

10.78 0.94 15.72

15.00 2.02 21.02

15.00 3.21

4.52 0.39

15.00 1.48

15.00 2.57

FEET

22.21

8.91

20.48

21.57

LEGEND

U = UPPER SIDE OF GUTTER LINE PROFILE L = LOWER SIDE OF GUTTER LINE PROFILE FOR THE OTHER ABBREVIATIONS - REFER TO CD-606-1 * TYPE 3 RAMP IS NOT APPLICABLE, USE TYPE 1 ** TYPE 4 RAMP IS NOT APPLICABLE, USE TYPE 2

NOTES:

1. FOR CURB RAMP TYPES, SEE CD-606-1.

- 2. THE ABOVE TABLES ARE BASED ON THE SPECIFIC GUTTER PROFILE REFERENCED. THEY DO NOT TAKE INTO ACCOUNT VARIATIONS IN THE GUTTER PROFILE. THE ABOVE TABLES TO BE USED BY THE DESIGNERS AND CONTRACTORS TO GET APPROXIMATE DIMENSIONS OF THE CURB RAMP AT EACH LOCATION. FINAL DIMENSIONS WILL BE DETERMINED BY ACTUAL MEASUREMENTS IN THE FIELD DURING CONSTRUCTION.
- 3. THE 12H:1V MAX SLOPE IS THE RUNNING SLOPE FOR CURB RAMPS, BUT ONLY THE 12H:1V SLOPE MEASURED AS X IS THE RUNNING SLOPE FOR TYPE 3 AND TYPE 4 CURB RAMPS. ENSURE THE RUNNING SLOPE OF CURB RAMPS DOES NOT REQUIRE ITS LENGTH TO EXCEED 15 FEET. THE RUNNING SLOPE MAY EXCEED THE 12H:1V MAX SLOPE SO AS NOT TO EXCEED THE 15 FEET MAXIMUM LENGTH. THE TABLES ALREADY APPLY THE 15 FEET RULE FOR THOSE CALCULATED LENGTHS WHICH EXCEED 15 FEET.
- 4. DIMENSIONS SHOWN IN TABLES ARE FOR 3 INCH TO 9 INCH CURB HEIGHTS. WHERE THE CURB HEIGHTS ARE OTHER THAN WHAT IS PROVIDED IN THE TABLES, THE DIMENSIONS OF THE RAMPS WILL HAVE TO BE CALCULATED BASED ON CROSS SLOPES SHOWN.

CD-606-4.1

N.T.S.

CONCRETE SIDEWALK

(PUBLIC SIDEWALK CURB RAMP TABLES)

CD-606-4

NEW JERSEY DEPARTMENT OF TRANSPORTATION

CONSTRUCTION DETAILS

55

164

5.68	4.47	14.15	5	4. 64161	12.51	3.13	19.64
6.82	5.36	16.18	6	4 WIIN.	15.00	3.75	22.75
7.96	6.25	18.21	7	/ MAX.	15.00	4.38	23.38
9.10	7.15	20.24	8	1	15.00	5.00	24.00
10.23	8.04	22.27	9		15.00	5.63	24.63
LINE PRO	OFILE		6.0	% GUTTE	R LINE PRO	DFILE	
X _{1U}	X11	L	н	W	X _{1U}	X ₁₁	L1
FEET	FEET	FEET	INCHES	FEET	FEET	FEET	FEET
3.95	2.42	10.37	3	-	10.73	1.74	16.47
5.27	3.23	12.49	4		14.31	2.33	20.63
6.58	4.03	14.62	5	A' MAINI	15.00	2.91	21.91
7.90	4.84	16.74	6	4 101111	15.00	3.49	22.49
9.22	5.65	18.86	7	/ MAX.	15.00	4.07	23.07
10.53	6.45	20.99	8	1	15.00	4.65	23.65
11.85	7.26	23.11	9	Sec. 1	15.00	5.23	24.23
	TELLE		70	% GUTTE		TELLE	
Y	X.		н	W	X	X.	11
FEET	FEET	FEET	INCHES	FEET	FEET	FEET	FEET

3

4

5 6 7

8

4' MIN

7' MAX.

6		11.55	4.06	19.60
7	/ MAX.	13.47	4.73	22.20
8		15.40	5.41	24.80
9		17,32	6.08	27.40
H	W	X _{1U}	XiL	11
INCHES	FEET	FEET	FEET	FEET
3		7.51	1.88	13.38
4	1.000	10,01	2.50	16.51
5	A' MAINI	12.51	3.13	19.64
6	7' MAX.	15.00	3.75	22.75
7		15.00	4 30	22.20

 15.00
 1.63
 20.63

 15.00
 2.17
 21.17

 15.00
 2.72
 21.72

 15.00
 3.26
 22.26

 15.00
 3.81
 22.81

15.00

15.00

4.35 23.35 4.89 23.89

H INCHES	W FEET	X _{1U} FEET	X _{1L} FEET	L1 FEET
3		5.77	2.03	11.80
4		7.70	2.70	14.40
5	AL MAINI	9.62	3.38	17.00
6	4 101114.	11.55	4.06	19.60
7	/ MAX.	13.47	4.73	22.20
8		15.40	5.41	24.80
9		17,32	6.08	27.40

THOMAS A. DeGISE COUNTY EXECUTIVE

DENISE C. D'ALESSANDRO DIRECTOR

COUNTY OF HUDSON DEPARTMENT OF ROADS AND PUBLIC PROPERTY OFFICE OF THE COUNTY ENGINEER BERGEN SQUARE CENTER 830 BERGEN AVENUE, FLOOR. #6B JERSEY CITY, NEW JERSEY 07306 TELEPHONE: (201) 369-4340 FAX: (201) 369-4346

THOMAS MALAVASI, PE, PP, CME, CPWM COUNTY ENGINEER

> JOSEPH F. GLEMBOCKI, PE ASSISTANT COUNTY ENGINEER

> > **ROBERT A YANNAZZO, AIA** CHIEF ARCHITECT

DUMPSTER PERMIT

Dumpster Fee: \$25.00 per month

Date:

This permit provides permission for a dumpster to be placed at the following address:

Dumpster will be on site	From	Until
Total Fee (\$25 x number of	months) = \$	
In accordance with a Count ALL DUMPSTERS on a Ro the following conditions: 1. All Dum 2. A flashin ends of tl	y Resolution adopted on Mar badway or Property owned an osters must be striped diagona g light similar to that used on he dumpster so that it's clearly	ch 26, 1975 by the Board of Chosen Freeholders, ad Controlled by the County of Hudson must meet ally with yellow reflective paint. highway construction shall be mounted on both y visible to motorists.
Name of Dumpster Compar	ny:	
Company Address:		
Application Approved By:	Title :	Date:

BOARD OF COMMISSIONERS COUNTY OF HUDSON

ORDINANCE

No. 533-8-2023

On Motion of Commissioner <u>Board</u> as a Whoe Seconded by Commissioner

AN ORDINANCE ESTABLISHING THE RULES AND REGULATIONS GOVERNING DEMOLITION AND CONSTRUCTION PERMITS ABUTTING COUNTY OWNED PROPERTY AND RIGHTS OF WAY

WHEREAS, upon review by the County of Hudson (the "County"), it has been discovered that a need exists to ensure public property and public rights of way are protected in the event of accidents or damage during demolition and construction projects in the County and it is in the best interest of the County public safety, health, and general welfare to ensure that this need is addressed; and

WHEREAS, pursuant to the provisions of N.J.S.A. 40:41A-38, 40:41A-101 and 27:16-31 the County has the authority to establish rules and regulations for the protection of these interests; and

WHEREAS, the following requirements and the imposition of penalties for any work performed contrary to these requirements are clearly established and to be followed.

NOW, THEREFORE, BE IT ORDAINED by the Board of Commissioners of the County that:

- 1. The above recitals are incorporated herein as though fully set forth at length.
- 2. All entities, both public and private, that apply for construction or demolition permits for projects abutting County property or a County right of way must submit to the County, in addition to any approval from the reviewing entity, a valid certificate of insurance providing coverage at the same limits as required by the reviewing entity and said certificate shall name the County as an additional insured. The entity performing work must also certify that it will hold the County harmless for all demolition and construction-related incidents resulting in damages.
- 3. No work shall commence until a valid certificate of insurance is delivered to the County for review and approved by the County Engineer. Certificates shall be sent to the County Engineer at the Hudson County Division of Engineering, 830 Bergen Avenue, Suite 6B, Jersey City, NJ 07306 prior to the performing of work. Upon receipt by the County Engineer of the COI and necessary indemnification forms, the County shall notify the municipality and interested parties of adequate processing within three (3) business days, or the review will be deemed satisfactory.
- 4. Any violations of the above procedure shall be subject to a penalty of \$1,000.00 per each day of noncompliance, plus damages incurred by the County. Any entity wising to appeal a violation issued pursuant to this regulation shall appeal to a Court of jurisdiction per N.J.S.A. 40:24-9.

BOARD OF COMMISSIONERS COUNTY OF HUDSON

ORDINANCE

On Motion of Commissioner_____ Seconded by Commissioner _____

5. This Ordinance shall take effect in the manner prescribed by law.

Commissioner	Aye	Nay	Abst.	N.P.	Commissioner	Aye	Nay	Abst.	N.P.
Walker	1				Cedeño	1			
Cifelli	/	1.4			Rodriguez	1		-	
Kopacz	/	10.1		25	Baselice	1	12		
Aponte-Lipski	-			1	Chairperson Romano	1			
O'Dea	~		11	1.5			+		

It is hereby certified that at a regular meeting of the Board of County Commissioners of the County of Hudson held on the $(0 \text{ day of } A^{12})^{\circ}$ A.D. 2023, the foregoing ordinance was finally adopted with \mathcal{T} members voting in the affirmative and \mathcal{O} in the negative.

The foregoing ordinance having been duly presented to me, I hereby

the same

Dated:

A.D. 2023

County Executive

Source: Law LJW/ek

No.

BOARD OF COMMISSIONERS COUNTY OF HUDSON

ORDINANCE

No. 534-8-2023

On Motion of Commissioner <u>Brand</u> as a Whei-2 Seconded by Commissioner _____

AN ORDINANCE AMENDING ORDINANCE NUMBER 116-2-1999 REGARDING THE RULES AND REGULATIONS GOVERNING ROAD OPENING PERMITS

WHEREAS, Ordinance Number 116-2-1999 established the rules and regulations governing road opening permits; and

WHEREAS, it has been discovered that a need exists for the imposition of penalties for any work performed on a County roadway without a permit, for any work performed contrary to or outside of the scope of that work approved by an issued road opening permit and for work performed which in any way violates the provisions of the rules and regulations governing road opening permits; and

WHEREAS, it is in the best interest of the County to ensure that these penalty provisions are clearly established and followed.

NOW, THEREFORE, BE IT ORDAINED by the Board of Commissioners of the County of Hudson that:

- 1. The above recitals are incorporated herein as though fully set forth at length.
- Ordinance Number 116-2-1999 is, by this Act, amended to reflect the following: Sections I through IX – No Change.

Section X - add the following language.

No road closures shall take place without a traffic control plan approved by the County

of Hudson and the affected Municipality.

Sections XI through XIV - No Change.

Section XV - Penalties.

(existing section deleted and add the following language)

A. Any person, firm, corporation, contractor or public utility who shall violate any of the provisions of this Ordinance, who shall violate or fail to comply with any order or regulation made under the provisions of this section, who shall perform any work without a permit, perform any work contrary to or outside of the scope of work approved by an issued permit or perform work which in any way violates the provisions of the rules and regulations governing road opening permits, shall severally for each and every such violation or noncompliance, respectively, when not otherwise provided for within this Ordinance and Ordinance No. 405-6-2017, be subject to the following penalties:

\$1,000.00 per day for the first violation;

\$1,500.00 per day for the second violation;

\$2,000.00 per day for the third violation;

as well as reimbursement of any and all costs incurred by the County to address the violation.

- B. Should any person, firm, corporation, contractor or public utility, in violating any of the provisions of this section, after notice of such violation, continue such violation, each twenty-four (24) hours that the same shall be continued shall be construed to constitute a separate and distinct violation.
 - C. Any monies due to the County in payment of a penalty for violation of this Ordinance and/or reimbursements due to the County shall be billed to the permittee by the County Engineer and shall be paid by the permittee within thirty (30) days after receipt. Failure of a permittee to pay such penalties shall result in the permittee paying the maximum interest rate allowed by law, as well as any attorney's fees and costs incurred by the County in furtherance of the collection of said monies.
 - D. The County Engineer shall have the authority to deny all future permits until all monies due to the County are paid in full.

Commissioner	Aye	Nay	Abst.	N.P.	Commissioner	Aye	Nay	Abst.	N.P.
Walker	~		V		Cedeño	~		11011	111
Cifelli	V				Rodriguez	1			
Кораса	1	1		2.2	Baselice	1			
Aponte-Lipski	1			1	Chairperson Romano	1		=:	
O'Dea	1	1				ć			1.

This Ordinance shall take effect in the manner prescribed by law.

It is hereby certified that at a regular meeting of the Board of County Commissioners of the County of Hudson held on the / O day of / O O A.D. 2023, the foregoing ordinance was finally adopted with \otimes members voting in the affirmative and O in the negative.

The foregoing ordinance having been duly presented to me, I hereby

the same

Dated:

A.D. 2023

County Executive

Source: Law LJW/ek